



Scapa 6060

Plasticised PVC Adhesive

DESCRIPTION

Scapa 6060 is an embossed plasticised PVC film, coated in a rubber adhesive.

APPLICATIONS

- Multi-used building tape: repairing, sealing, masking, protection, securing tarpaulins
- Short-term masking on concrete, plaster, wood, metal, plastic for screening paintwork or render
- Interior and exterior use

PRODUCT BENEFITS

- Remains usable and supple even in low winter temperatures,
- Excellent sealing properties
- · Good resistance to humidity
- Smooth application
- Easy to tear thanks to striation
- Thermal resistance up to 60°C.

TECHNICAL PROPERTIES

Technical Property	Nominal Value	Unit	Test Method
Total Thickness	155	μm	AFERA 5006
Adhesive Strength on Steel	1.0	N/cm	AFERA 5001
Breaking Load	24	N/cm	AFERA 5004
Elongation at Break	93	%	AFERA 5004

Version: 7 Generated Date: 07 August 2025 Page: 1 of 2

www.scapaindustrial.com Product Code: 6060

This Technical Data Sheet (TDS) is provided by Scapa for information only. The contents of this TDS are considered to be reliable but accuracy is not guaranteed. The results shown in this TDS may not be relevant to all users of the product and it is the user's responsibility to determine the suitability of the product for its intended purpose. Scapa expressly disclaims all express or implied warranties including merchantability and fitness for a particular purpose to the fullest extent permitted by law and does not accept responsibility or liability (whether direct, indirect, or consequential) arising from use of the product or reliance on the TDS. Scapa does not exclude liability for death or personal injury arising from its negligence or fraud. Scapa refers to Scapa Group ple and its subsidiaries.

STANDARD PRESENTATIONS

Roll Length: 33mRoll Width: 50mm

• Core: Neutral or SCAPA printed 76 mm cardboard roll

• Packaging: Individual with barcode

Colours: White or yellow

RECOMMENDATIONS

The rolls should be stored flat, in their original packaging, protected against dust, light, moisture and solvent fumes, and at a temperature between +10°C and +30°C. Under these conditions, the period of storage of the rolls in a temperate climate may not exceed 12 months. Surfaces should be clean, dry and free of dust, grease, oil and or other contaminants. Owing to the variety of materials used by the user, a test carried out by the user themselves constitutes the most reliable way of testing the material before its actual application.

Version: 7 Generated Date: 07 August 2025 Page: 2 of 2

www.scapaindustrial.com Product Code: 6060